



Container types and measurements


DRY CARGO CONTAINERS



20 ft



40 ft




40 ft High Cube



	20 ft	40 ft	40 ft High Cube
Interior Dimensions			
Width	2,350 mm	2,350 mm	2,350 mm
Length	5,896 mm	12,035 mm	12,035 mm
Height	2,385 mm	2,385 mm	2,697 mm
Door Opening			
Width	2,340 mm	2,339 mm	2,340 mm
Height	2,274 mm	2,274 mm	2,579 mm
Tare Weight			
kg	2,150 kg	3,700 kg	3,800 kg
lbs	4,739 lbs	8,156 lbs	8,377 lbs
Cubic Capacity			
Cubic meters	33.0 cbm	67.0 cbm	76.0 cbm
Cubic feet	1,179 cu. ft	2,393 cu. ft	2,714 cu. ft
Payload			
kg	24,850 kg	32,500 kg	30,200 kg
lbs	54,783 lbs	63,491 lbs	66,577 lbs


REEFER CONTAINERS



20 ft



40 ft




40 ft High Cube




	20 ft	40 ft	40 ft High Cube
Interior Dimensions			
Length	5,451 mm	11,577 mm	11,578 mm
Width	2,294 mm	2,294 mm	2,280 mm
Height	2,201 mm	2,210 mm	2,425 mm
Door Opening			
Width	2,296 mm	2,294 mm	2,278 mm
Height	2,156 mm	2,174 mm	2,473 mm
Tare Weight			
kg	2,930 kg	3,900 kg	4,500 kg
lbs	6,062 lbs	8,708 lbs	9,920 lbs
Cubic Capacity			

Cubic meters	27.9 cbm	56.1 cbm	64.0 cbm
Cubic feet	986 cu. ft.	2,000 cu. ft.	2,359 cu. ft.
Payload			
kg	27,550 kg	28,600 kg	29,500 kg
lbs	53,460 lbs	62,940 lbs	65,034 lbs

FLAT RACK CONTAINER




20 ft



40 ft



40 ft Collapsible Flat Rack



	20 ft	40 ft	40 ft High Cube
Interior Dimensions			
Width	2,350 mm	2,350 mm	2,350 mm
Length	5,896 mm	12,035 mm	12,035 mm
Height	2,385 mm	2,385 mm	2,697 mm
Door Opening			
Width	2,340 mm	2,339 mm	2,340 mm
Height	2,274 mm	2,274 mm	2,579 mm
Tare Weight			
kg	2,150 kg	3,700 kg	3,800 kg
lbs	4,739 lbs	8,156 lbs	8,377 lbs


Cubic Capacity

Cubic meters	33.0 cbm	67.0 cbm	76.0 cbm
Cubic feet	1,179 cu. ft	2,393 cu. ft	2,714 cu. ft


Payload

kg	24,850 kg	32,500 kg	30,200 kg
lbs	54,783 lbs	63,491 lbs	66,577 lbs


OPEN TOP CONTAINERS



20 ft



40 ft



20 ft Open Side/Open Top



	20 ft	40 ft	40 ft High Cube
Interior Dimensions			
Width	2,350 mm	2,350 mm	2,350 mm
Length	5,896 mm	12,035 mm	12,035 mm
Height	2,385 mm	2,385 mm	2,697 mm
Door Opening			
Width	2,340 mm	2,339 mm	2,340 mm
Height	2,274 mm	2,274 mm	2,579 mm
Tare Weight			
kg	2,150 kg	3,700 kg	3,800 kg
lbs	4,739 lbs	8,156 lbs	8,377 lbs
Cubic Capacity			
Cubic meters	33.0 cbm	67.0 cbm	76.0 cbm
Cubic feet	1,179 cu. ft	2,393 cu. ft	2,714 cu. ft
Payload			
kg	24,850 kg	32,500 kg	30,200 kg
lbs	54,783 lbs	63,491 lbs	66,577 lbs